Overweight But Not Obese (Adults)

Overweight But Not Obese (Adults)

- •Most recent data (2014): 35% or about 536,700 King County adults age 18+.
- •Trend over time: 2000-14: flat
- •Description: Body Mass Index greather than or equal to 25 and less than 30
- •Healthy People 2020 Goal: None listed for this indicator.

Overweight but not obese (adults), King County, 2010-2014 average

	Percent	Lower Cl	Upper CI
King County (adults age 18+)	33	32	34
AGE			
18-24	21	18	24
25-44	33	31	35
45-64	35	34	37
65+	39	37	41
GENDER			
Male	40	38	42
Female	26	25	27
RACE/ETHNICITY	-		
AIAN	31	20	45
Asian	27	24	31
Black	33	28	39
Hispanic	39	34	43
Multiple	29	23	36
NHPI	36	21	53
White	34	33	36
HOUSEHOLD INCOME			
<\$15,000	29	25	34
\$15,000 to \$24,999	32	28	35
\$25,000 to \$34,999	33	30	38
\$35,000 to \$49,999	31	28	35
\$50,000 to \$74,999	35	32	38
\$75,000+	35	34	37
REGION	4		
East	31	29	33
North	33	29	38
Seattle	32	30	34
South	35	33	37
STATE			
Washington State	35	35	36

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

N/A: Not available.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Overweight but not obese (adults) King County, 2010-2014 average



Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Overweight but not obese (adults) by health reporting areas, King County, 2010-2014 average

	Percent	Lower Cl	Upper CI
King County (adults age 18+)	33	32	34
Auburn	31	25	38
Auburn-North	37	29	47
Aubum-South	23	16	32
Bear Creek/Carnation/Duvall	32	27	38
Bellevue	31	27	35
Bellevue-Central	35	26	44
Bellewe-NE	33	26	41
Bellevue-South	32		42
Bellewe-West	23	23	31
		30	
Black Diamond/Enumclaw/SE County	37		46
Bothell/Woodinville	32	24	40
Burien	35	28	43
Covington/Maple Valley	36	30	43
Des Moines/Normandy Park	35	28	43
East Federal Way	33	24	43
Fairwood	38	26	51
Federal Way	41	35	47
Fed Way-Central/Military Rd	38	30	46
Fed Way-Dash Point/Woodmont	46	36	56
Issaquah	32	24	41
Kenmore/LFP	35	27	44
Kent	33	28	38
Kent-East	37	28	47
Kent-SE	33	26	40
Kent-West	30	20	42
Kirkland	32	27	36
Kirkland	32	27	39
Kirkland North	31	24	38
Mercer Isle/Pt Cities	30	24	38
Newcastle/Four Creeks	38	30	47
North Highline	23	14	35
Redmond	30	24	37
Renton	33	29	38
Renton-East	34	25	43
Renton-North	28	20	38
Renton-South	36	29	44
Sammamish	33	27	40
SeaTac/Tukwila	40	32	49
Seattle	32	30	34
Ballard	32	26	37
Beacon/Gtown/S.Park	31	23	40
Capitol Hill/E.lake	31	25	38
Central Seattle	34	26	42
Delridge	32	23	42
Demage	31	24	39
Fremont/Greenlake	30	24	36
NE Seattle	30	25	35
North Seattle	33	27	39
NW Seattle	34	27	41
QA/Magnolia	33	27	39
SE Seattle	37	29	45
West Seattle	32	26	38
Shoreline	33	27	39
Snoqualmie/North Bend/Skykomish	27	21	34
Vashon Island	42	32	51

Comparisons:

Higher than King County rate (yellow)
Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


Cl is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.


Overweight but not obese (adults) by health reporting areas King County, 2010-2014 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Overweight but not obese (adults) King County, 2000-2014, three-year rolling averages



Trends over time: King County (2000-14: flat); East KC (2000-14: falling); North KC (2000-14: flat); Seattle (2000-14: flat); South KC (2000-14: flat); Washington State (2000-14: falling) Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Produced by the

<u>Assessment, Policy Development & Evaluation Unit</u>

<u>Public Health - Seattle & King County</u>

07/16

